

PRODUCT-DETAILS

D2

Programador digital D2

Para comprar pero obsoleto, se reemplaza



Información General

| | |
|-----------------------|--|
| Extended Product Type | D2 |
| Product ID | 2CSM256313R0621 |
| EAN | 8012542563136 |
| Catalog Description | Programador digital D2 |
| Long Description | D2 Digital time switches, 2CO contact, 6 years power reserve, 2 modules. Standard version. |

Clasificación

| | |
|------------------------------|-----------------|
| E-Number (Finland) | 2619601 |
| E-Number (Sweden) | 1330043 |
| EAN | 8012542563136 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85364900 |
| Replacement Product ID (NEW) | 2CSM222521R1000 |

Dimensiones

| | |
|----------------------------|----------|
| Product Net Width | 35 mm |
| Product Net Height | 0.080 m |
| Product Net Depth / Length | 60 mm |
| Product Net Weight | 0.140 kg |

Información de Embalaje

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 0.05 m |
| Package Level 1 Height | 0.08 m |
| Package Level 1 Depth / Length | 0.105 m |
| Package Level 1 Gross Weight | 0.140 kg |
| Package Level 1 EAN | 8012542563136 |

Ambiente

| | |
|-------------|---|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|---|

Información Adicional

| | |
|--|--|
| Accuracy | ± 0.5sec/24h |
| Connecting Capacity | 6 mm ² |
| Degree of Protection | IP20 |
| Dimensions | 2 modules |
| Frequency (f) | Supply Voltage 50 ... 60 Hz |
| Function | Weekly program |
| Meter Type | Digital |
| Mounting Type | DIN-Rail |
| Number of Channels | 2 |
| Number of Outputs | 2 |
| Options Provided | 2 NO/NC |
| Power Loss | at Rated Operating Conditions per Pole 7.8 W |
| Product Main Type | D Line |
| Product Name | Interruptor horario digital |
| Rated Frequency (f) | 50...60 Hz |
| Rated Operational Current AC-1 (I _e) | 16 A |
| Rated Operational Current DC-1 (I _e) | 16 A |
| Rated Operational Voltage | 230 V |
| RoHS Date | 26/09/2011 0.00.00 |
| Supply Voltage | 230...250 V |

Certificados y Declaraciones (Número de Documento)

| | |
|-----------------------------------|----------------------|
| Data Sheet, Technical Information | 2CSC400002D0209 |
| Declaration of Conformity - CE | 2CSC441007D2701 |
| Environmental Information | See RoHS Information |
| Instructions and Manuals | 2CSM441021D6401 |
| RoHS Information | 2CSC441018K0201 |

Clasificaciones

ETIM 4

EC002305 - Digital time switch for distribution board

| | |
|----------------------------|--|
| ETIM 5 | EC002305 - Digital time switch for distribution board |
| ETIM 6 | EC002305 - Digital time switch for distribution board |
| ETIM 7 | EC002305 - Digital time switch for distribution board |
| Object Classification Code | K |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categorías

Productos y sistemas de baja tensión → Aparatos modulares de instalación → Control and Automation devices → Analogue and Digital Time Switches



Bogotá Sala de Ventas

Carrera 12 No 13 - 46
PBX: 6013360755 - 6013412439
Celular: 312 3055335

Centro de Distribución

Carrera 18 No 19A - 36
PBX: 6013360755 EXT: 2101

