


PRODUCT-DETAILS

OVR T2 3N 40-550 P TS U

OVR T2 3N 40-550 P TS U Surge Protective Device



General Information

| | |
|-----------------------|---|
| Extended Product Type | OVR T2 3N 40-550 P TS U |
| Product ID | 2CTB802346R3300 |
| EAN | 3660308518743 |
| Catalog Description | OVR T2 3N 40-550 P TS U Surge Protective Device |
| Long Description | B80234633 |

Technical

| | |
|--|--------------------------------|
| Nominal AC Voltage of the System (U_0) | 480 V |
| Number of Protected Poles | 4 |
| Arrester Class | II |
| Product Main Type | T2 |
| Standards | UL 1449 Ed3 |
| Version | Plug-in |
| Discharge Current | Nominal 10 kA Maximum 40 kA |
| Voltage Protection Level (Up) | (N-PE) 1 kV |
| Short Circuit Withstand Icc | 100 kA |

| | |
|----------------------------------|--|
| Short-Circuit Protective Devices | Curve B Breakers ≤ 100 A Curve C Breakers ≤ 100 A gL Type Fuses ≤ 125 A gG Type Fuses ≤ 125 A |
| Auxiliary Circuit Load | Minimum 12Vdc - 10mA Maximum 250Vac - 1A |
| Product Name | Surge Protective Device |
| Suitable For | To protect the systems against the transient overvoltage (lightning) |

Dimensions

| | |
|-------------------------------------|---------|
| Product Net Width | 71.2 mm |
| Product Net Depth / Length | 64.8 mm |
| Product Net Height | 98.5 mm |
| Product Net Weight | 0.48 kg |
| Width in Number of Modular Spacings | 4 |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 117 mm |
| Package Level 1 Depth / Length | 77 mm |
| Package Level 1 Height | 82 mm |
| Package Level 1 Gross Weight | 540 g |
| Package Level 1 EAN | 3660308518743 |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85363090 |

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| Declaration | 2CTC432056G1701 |
| Declaration of Conformity - CE | 2CTC436004G1701 |
| Instructions and Manuals | 2CTC432094M1701 |
| UL Certificate | 2CTC432010G1701 |

Popular Downloads

| | |
|-----------------------------------|---|
| Data Sheet, Technical Information | 2CTC432141D1701 |
| Instructions and Manuals | 2CTC432094M1701 |
| Mechanical Drawings | 2CTC800020F2800.pdf 2CTC800020F2801.dxf 2CTC800020F2802.stp |

2CTC800020F2803.igs

UL Certificate

2CTC432010G1701

Classifications

| | |
|----------------------------|---|
| Object Classification Code | 141DFC |
| ETIM 4 | EC000941 - Surge protection device for power supply systems |
| ETIM 5 | EC000941 - Surge protection device for power supply systems |
| ETIM 6 | EC000941 - Surge protection device for power supply systems |
| ETIM 7 | EC000941 - Surge protection device for power supply systems |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Surge Protective Devices SPDs → Surge Protective Devices SPD Class II



Bogotá Sala de Ventas

Carrera 12 No 13 - 46
 PBX: 6013360755 - 6013412439
 Celular: 312 3055335

Centro de Distribución

Carrera 18 No 19A - 36
 PBX: 6013360755 EXT: 2101

